

9V Cylindrical Alkaline Battery 6LR61 From <http://>

Product Name:

9V Cylindrical Alkaline Battery 6LR61

Specification:

Model NO.: 6LR61

Place of origin: Guangdong China (mainland)

Brand name: Dishy

Type: Zn/MnO₂

Shape: Prismatic

Size(mm): 17.5×26.5×48.5

Weight(g): 45

Color: yellow and green

Nominal voltage: 9V

Nominal capacity: 800mAh

Shelf life: 2 years

Duration period: 5 years

Test condition: In temperature 20±2?, RH45%-75%

Features:

Minimum order quantity :10000 piece/pieces

Supply ability:10000000 piece/pieces

Sales mode :Factory direct sales

Pack :Blister package or shrink package, we can also pack as your requirement.

Delivery :5-15 days after confirmation

Payment Terms: L/C, T/T, Western Union, Money Gram

Service: OEM is welcomed

Certificates: ISO9001, CE, MSDS, SGS

Quality:Perfect good

Price:FOB

| IEC | Discharge condition | | | Average discharge time | |
|-------|---------------------|------------------|-----------------|------------------------|-------------------------|
| 6LR61 | Load resistor | Discharge Method | Cut-off Voltage | New Battery | Storage after 12 months |
| | 180? | 24h/d | 4.8V | ?810min | ?750min |
| | 270? | 24h/d | 5.4V | ?18.0h | ?18.0h |
| | 620? | 24h/d | 5.4V | ?50.0h | ?48.0h |

Discharge characteristic

| | Discharge condition | | | Minimum average | | |
|--|---------------------|-----------|------------|-----------------|------------|---------------|
| | | | | Discharge time | | |
| | on-load | Discharge | End | fresh | stored for | Stored for 12 |
| | resistance | time per | voltage(V) | battery | 3 months | months under |

| | | day | | | under 45 | Room Temp |
|-----------------------|------|-------------------------|-----|----------|----------|-----------|
| IEC Standard | 180? | 15S/min | 4.8 | 600times | 540times | 5 |
| | 270? | 1h/d | 5.4 | 840min | 760min | |
| | 620? | 2h/d | 5.4 | 33h | 29.7h | |
| | 180? | Continuous discharge | 4.8 | 600min | 540min | |
| Reference standard | 180? | 15S/min | 4.8 | 720times | 650? | 6 |
| | 270? | 1h/d | 5.4 | 1000min | 900min | |
| | 620? | 2h/d | 5.4 | 38h | 35h | |
| | 180? | Continuous discharge | 4.8 | 720min | 650min | |

Best suitable for extremely low power consumption electronic device such as clock.



迪生集团

公司以获得 (certificates approved) : UL、UN38.3、MSDS、SGS、ICE62133
全国统一电话 (24H Tel) : 400-777-5008
[Http://www.dishy-battery.com](http://www.dishy-battery.com)
DISHY Battery, Environment-Friendly DISHY Quality, Int



深圳迪生凯晟能源科技有限公司

ShenZhen Dishy KaiCheng E