

NI-Mh 1.2V 1200mAh AA battery rechargeable battery From http://

Product Name?

NI-Mh 1.2V 1200mAh AA battery rechargeable battery

Description & Adventage?

- 1. 1200mAh AA Ni-MH battery.
- 2. Nominal voltage: 1.2v
- 3. Nominal capacity: 1200mah
- 4. Battery manufacturer.
- 5. No memory-effect
- 6. Low self-discharge
- 7. ISO9001 factory

Product attributes:

Place of original?China (Mainland) Guangdong

Brand:DISHY

Model No.:DS-AA1200

Type:NI-MH

Rated voltage:1.2V

Size:AA



Rated capacity:1200mAh

Certification?CE, UL, MSDS, SGS

Color?Green

MOQ: 5000pcs

FOB price?USD0.858-1.143/pcs

Port?FOB Shenzhen Port

Payment?T/T, Western Union

Supply capacity?1000000 Piece / Pieces / Month

Delivery period?3-15 working days after your conformation

Packaging?2/B 4/B , 2/S 4/S

Package as customers' requirement

Product details?<u>Our company is Shenzhen Dishy High Technology Ltd, which is a professional rechargeable battery manufacture, with the production line in Jiaxing. Dongyang and in Shenzhen, because of good quality and after service, we have obtained a widely good reputation in some other countries, he export rate is more than 70%</u>

- 1.1200mAh AA Ni-MH battery.
- 2. Nominal voltage: 1.2v
- 3. Nominal capacity: 1200mAh
- 4. Size: AA
- 5. High capacity, low inner resistance, long cycle life, low self-discharge.
- 6. Provide both single cells and battery packs.
- 7. All products are inspected strictly with the match of capacity.



- 8. Rapid charge-discharge cycle life can up to above 500 times.
- 9. The battery are applied to cordless phones, walkmans, solar lighting and

electrical drills, shaves and emergency lighting ,etc.

- 10. Battery manufacturer.
- 11. OEM is welcome.
- 12. Small order is accept.

Digit cameras, Camcorders, Portable DVD, VCD, MD and CD players.

Emergency lightings, Solar lights, Search lights and Flashlights.
R/C Cars, R/C Ships and Model planes.
Electric drills, Sanders, Screwdrivers, Saws, Polishers
Electric bicycles, Shavers, Massagers, Electric tooth brushes, Handheld vacuum
cleaners, Handheld terminals.
Under normal use, Great Power batteries can provide more than 500 charge/disc
cycles, or 5 year of standby power.
The cell can be fully charged in 1 hour with Great Power specified charging cond
and can withstand a discharge rate up to 10C
The cell exhibits super efficiency and durability for both high temperature and low
temperature operations, at the range from -10°C to 70°C
Great Power batteries can be continuously overcharged at 0.1Crate for 48 hours
leakage or deformation.
After 1-Month storage at 20±5°C, a fully charged cell can still deliver approx. 70%
nominal capacity
Built-in chemical protection against polarity

We can provide a variety of NI-MH rechargeable battery pack in new design Welcome to contact us for further information



Product Info http://





