

NI-ZN 1.6V 1900mAh rechargeable battery From <http://>

**Product Name?**

NI-ZN 1.6V 1900mAh rechargeable battery

**Description & Advantage?**

1. Size: NI-ZN-AA
2. Nominal voltage: 1.6V
3. Nominal capacity: 1900mAh
4. Diameter: 14.5\*49.0mm
5. No memory-effect
6. Low self-discharge
7. ISO9001 factory

**Product attributes:**

Place of original?China (Mainland) Guangdong

Brand:DISHY

Model No.:AA 1900

Type:NI-ZN

Rated voltage:1.6V

Size:AA

Rated capacity:1900mAh

Certification?CE, UL, MSDS, SGS

Color?Green

MOQ: 5000pcs

FOB price?USD1.96-2.413/pcs

Port?FOB Shenzhen Port

Payment?T/T, Western Union

Supply capacity?1000000 Piece / Pieces / Month

Delivery period?3-15 working days after your conformation

Packaging?2/B 4/B, 2/S 4/S

Package as customers' requirement

**Product details?**Our company is Shenzhen Dishy High Technology Ltd, which is a professional rechargeable battery manufacture, with the production line in Jiaxing, Dongyang and in Shenzhen, because of good quality and after service, we have obtained a widely good reputation in some other countries, he export rate is more than 70%

## **Rechargeable AA1300mAh NI-ZN battery**

### **Specification:**

1. Size: NI-ZN AA
2. Nominal voltage: 1.6
3. Nominal capacity: 1900mAh
4. Diameter: 14.5mm
5. Height: 49.0mm

**Feature:**

1. No leakage and no explosion.
2. With CE, UL, SGS, MSDS and ROHS Approved
3. With excellent discharge performance.
4. Enough, stable capacity, steady discharge and high temperature discharge.
5. Environmentally
6. Shelf life: 2years

**Applications:**

electric vehicles (EV), hybrid electric vehicles (HEV), plug-in HEVs, electric bikes, power tools, UPS, alternative energy (e.g. solar energy) storage lighting and consumer electronics (e.g. AA battery) etc.

Welcome to contact us for further information:

**The related products**

Type	Size	Capacity (mAh)	Dimension(mm)		Standard charge		Approx Weight(g)
			Height	Diameter	Current (mA)	Time(h)	
AA	AA	400	49.0(0/-1.5)	14.5(0/-0.7)	40	16	15
	AA	500	49.0(0/-1.5)	14.5(0/-0.7)	50	16	16
	AA	600	49.0(0/-1.5)	14.5(0/-0.7)	60	16	17
	AA	600P	49.0(0/-1.5)	14.5(0/-0.7)	60	16	17
	AA	800	49.0(0/-1.5)	14.5(0/-0.7)	80	16	19
	AA	800P	49.0(0/-1.5)	14.5(0/-0.7)	80	16	19
	AA	900	49.0(0/-1.5)	14.5(0/-0.7)	90	16	20
AAA	AAA	350	44.0(0/-1.5)	10.5(0/-0.7)	35	16	10.5
SC	SC	1200	43.0(0/-1.5)	23.0(0/-1.0)	120	16	42
	SC	1200P	43.0(0/-1.5)	23.0(0/-1.0)	120	16	42


**We can provide a variety of NI-ZN rechargeable battery pack in new design Welcome to contact us for further information**



迪生集团

公司以获得 (certificates approved) : UL、UN38.3、MSDS、SGS、ICE62133  
全国统一电话 (24H Tel) :400-777-5008  
[Http:www.dishy-battery.com](http://www.dishy-battery.com)  
DISHY Battery, Environment-Friendly

DISHY Quality, Int



深圳迪生凯晟能源科技有限公司

ShenZhen Dishy KaiCheng E