

Useful Top Sales Portable mobile Power Bank for consumer electronics From http://

Product name:

Useful Top Sales Portable mobile Power Bank for consumer electronics

product details

Model No: Y2A5200 Brand Name: Dishy capacity: 5200mah size: 93×43×22mm weight: 120g color: red?oranger?blue material: ABS+light Battery: Cylindrical battery 2x2600mAh 3.7V input: 5V/800mA output: 5V/1000mA Warranty: 1 year Service: OEM, ODM, Customer's logo MOQ: 500 pieces Price: FOB price Port: ShenZhen payment terms: L/C,T/T, Western Union, MoneyGram Place of Origin: Guangdong, China (Mainland) Certificates: CE,UL,SGS,MSDS,ROHS,UN38.3,FCC

Specification

* The battery type: high capacity, high security cylindrical batteries

- * capacity: 5200mAh 3.7V
- * self-charging time: 4-5H
- * DCInput port: Mini
- * Lighting function?LEDflashlight
- * Charge current:800mA, The built-in current protection device?
- * Power shows?Intelligence LED a key 5 power instructions
- * Charging display?The red light
- * Output voltage:5 V stable output, features work voltage fluctuation



* Output current:1 A Max, built-in intelligent chip identification equipment the actual needs current size

* Working temperature?-30?-60?

Features

1. Advanced MCU control circuits, intelligent power detection ,inside overcharge, overload, thermal and short circuit protection, safety can be

Depend, efficiency is as high as 88%.

2. low self- consumption of static current

3. Features vogue,, choiceness design?Convenient to carry

4. Fire prevention ABS, surface prevent scratch, processing sense of lens face

5. USB power supply function, good compatibility, support phone, MP3, MP5, IPOD and PSP,

digital products, USB connect computer directly ?fast storage of electricity

6.High-grade packaging, convenient and practical, for business people, and good for gifts

Packing & Delivery

Packing details: Blister Card Packing for power bank, we can also packing as you want Delivery time: 3-15days after your comfirmation



Product Info http://



深圳迪生凯晟能源科技有限公司

3/4

S

