
Dark Wood Effecting Foam Floor Mat From <http://www.matfoam.com/>

MODEL:	24"X24"
SIZE:	24"X24"
PACKAGE:	6pcs/set

Softer Dark Wood effect Flooring Mat safety

EVA Foam Floor Mat - Wood Desgin

Closed cell construction (non absorbing)

12mm thick EVA foam

Pack of 6 tiles with edging strips

6 tiles cover an area of 1.2 x 1.8m

Traditional pine wood effect look to blend in with floors and interiors

Noise on hard surfaces/Absorbs shock

Quick and easy to install just minutes, pieces lock together like a jigsaw

Lay and take up as and when you need to

Dimension:

Size: 24"*24"

Density: 35-38 degree

Thickness: 1/2"



EVA Foam Floor Tiles **Ethylene Vinyl Acetate** complete with edging strips. These floor tiles offer a slightly different look than the usual black or grey tiles as they are wood effect. The design makes them ideal for indoor use including caravans, garages and in the home. It's water resistant, easy to clean and provides some slight anti-fatigue benefit.

[Used in Children Play Room:](#)



[How many packs do I need?](#)

Packs of 6 Tiles	Area Covered
1 Pack	2.23 M ²
2 Packs	4.46 M ²
3 Packs	6.69 M ²
4 Packs	8.93 M ²
5 Packs	11.16 M ²
6 Packs	13.40 M ²

[Lab & Research:](#)



Factory environment



Factory environment



Factory environ

soft-tiles.com



Factory environment



Factory environment



Factory environ

hongdeind.com



Factory environment



Factory environment



Factory environ

Workshop:



Certificate:

甲酰胺测试报告



TEST REPORT

NO.: A001T120301003301

Date: Mar 06, 2012

Page

Applicant: QINGDAO HONGDE INDUSTRY CO.,LTD

Address: Jiangtou, Jinjiang, Fujian

Report on the submitted sample said to be:

Sample name: Eva mat

Model:

Item/Lot No.: /

Material: /

Buyer: /

Supplier: /

Manufacturer: /

Sample received: Mar 01, 2012

Testing period: From Mar 01, 2012 to Mar 06, 2012

甲酰胺测试报告

Test Requested:

As specified by client, to determine the Formamide content in the submitted samples in accordance with New Toy Safety Directive 2009/48/EC.

Test method:

Test Item	Test Method	Test Instrument
Formamide	EPA 8321B:2007	LC-DAD

Result:

Please refer to next pages

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

甲酰胺测试报

Signed for and on behalf of
Shenzhen AOV Testing Technology Co.,Ltd.

Prepared by: Yelena
Fei Wenmei, Yelena
Report Clerk

Reviewed by: J. Jie Hua
Dong Jie Hua, Jie Hua
Ass. Laboratory Supervisor

Approved by: Jie Hua
L. Jie Hua, Jeewah
Technical Director



Intertek

TEST REPORT

欧洲环保测试报告

NUMBER: S-040012125

APPLICANT: QINGDAO HONGDE INDUSTRY CO., LIMITED
SHENZHEN ROAD, JIAONAN ,CHINA
ATTN: SIMON

DATE: DEC 13, 2013

SAMPLE DESCRIPTION:

ONE (1) SET OF SUBMITTED SAMPLE SAID TO BE :
ITEM NAME : EVA MAT.
LABELLED AGE GROUP : NOT SPECIFIED.
PACKAGING PROVIDED BY : NO.
APPLICANT :
COUNTRY OF ORIGIN : CHINA.

REMARK: AS REQUESTED BY CLIENT, TOXIC ELEMENT ANALYSIS OF EN71 PART 3 : 1994 AND AMENDMENT A1 AND AC : 2002 WAS CONDUCTED ON THE COMPONENTS LISTED IN THE TEST REPORT. OTHER TESTS WERE NOT CONDUCTED.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

CONCLUSION:

TESTED SAMPLES	STANDARD	RESULT
SUBMITTED SAMPLE SET	EN71-1: 2011 FOR MECHANICAL AND PHYSICAL PROPERTIES	PASS
	EN71 PART 2: 2011 FLAMMABILITY TEST	PASS
TESTED COMPONENTS OF SUBMITTED SAMPLE	EN 71 PART 3: 1994 AND AMENDMENT A1: 2000 AND AC: 2002	PASS

TO BE CO



AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

JACOB LIN

Loading Containers:





Soft-Tiles.com